

Norges Statsbaner

Gk 291

Jernbanetorget og Tordenskjoldsgt.


2 februar 1939

28 feb  
A



SO:CTV

SITUASJON  
M=1:1000.




III.

K.O.	V	F	H <sub>1</sub>	H <sub>2</sub>	K <sub>0</sub>	RH	o	
	540	48	15	210	3.5	2.3		Lere, humusholdig.
	545	45	8	124	2.5	1.9		
	546	45	11	168	3.2	1.8		
	526	41	11	110	2.4	1.3		
	533	45	15	104	2.3	1.1		
	551	47	14	84	1.9	1.0		
	545	48	20	136	3.0	0.9		
	509	48	37	189	4.0	0.6		
	520	45	21	168	3.7	0.6		
	555	49	16	120	2.8	0.6		
	509	43	20	110	2.8	0.5		
K=10	514	41	14	95	2.4	0.5		"sandkorn.
	472	32	8	141	3.4	0.5		"Mynne sandlag (fin sand)
	506	41	14	117	2.9	0.5		
	580	51	17	124	3.0	0.5		
	477	35	13	117	2.9	0.5		
	507	42	19	107	2.6	0.5		
	519	45	21	110	2.7	0.5		
	500	41	20	107	2.6	0.5		
	470	36	21	141	3.2	0.5		"sandkorn.
	502	41	19	124	2.8	0.6		
K=20	486	40	19	120	2.8	0.6		
	334 (9)	(1)				0.5		Fin sand (Lerholdig)
	440	32	13	189	4.3	0.5		Lere "Mynne sandlag.
	422	27	8	132	3.2	0		

IV.

K.O.	V	F	H <sub>1</sub>	H <sub>2</sub>	K <sub>0</sub>	RH	o	
	530	51	38	369	6.2			Torrskarpeaktig lere.
	527	43	13	141	3.4			Lere.
	526	48	17	145	3.5			
	548	47	15	136	3.3			
	544	48	17	163	3.8			
	535	47	19	132	3.2			
	577	52	13	132	3.2			
	507	38	14	107	2.7			
	508	41	16	104	2.6			sp.
	508	42	18	104	2.6			sp.
	518	43	19	113	2.5			sp.
K=10	485	37	15	173	3.7			sp.
	411	27	18	129	3.1			Grusholdig lere.
	554	52	18	141	3.2			Lere.
	513	43	19	113	2.8			sp.
	478	35	17	101	2.6			sp.
	489	37	14	91	2.3			sp.
	486	40	19	110	2.6			sp.

SITUASJON  
M=1:1000.



VII.

K.O.	V	F	H <sub>1</sub>	H <sub>2</sub>	K <sub>0</sub>	RH	o	
	544	57	27	210	3.4	7.5	2.6	Humusholdig lere.
	574	55	16	194	2.8	7.5	2.6	
	584	52	16	163	3.1	8.0	1.9	
	576	57	19	184	3.2	8.0	2.3	
	517	44	18	150	3.0	1.3		Lere.
	516	44	20	136	2.9	1.1		
	537	47	19	117	2.6	1.0		
	534	48	21	145	3.2	0.9		
	487	44	34	184	4.2	sp.		
	482	42	27	132	3.2	8.0	sp.	
	473	43	47	141	3.4	(7.0)	sp.	
K=10	481	39	27	145	3.5			
	481	40	30	154	3.6		sp.	
	474	40	31	124	3.1	7.5	sp.	
	545	58	(56)	189	(6.3)	8.0	sp.	
	545	51	24	154	3.6	8.0	sp.	
	443	37	(35)	(188)	(6.3)	7.5	0	
	450	37	34	128	3.1	7.0	0	
	483	37	21	145	3.5	7.5	0	
	485	38	22	150	3.5	7.0	0	
	487	30	37	189	4.3	0		Grusholdig lere.

VII.

K.O.	V	F	H <sub>1</sub>	H <sub>2</sub>	K <sub>0</sub>	RH	o	
	580	(103)	(32)	(201)		7.0		Gyllig mosse "rødtre rester.
	556	52	19	163	3.0	7.5	2.1	Humusholdig lere.
	538	48	18	136	3.7	7.5	1.7	
	560	56	25	179	3.3	7.5	2.0	
	517	46	26	179	3.6	1.2		Lere.
	479	38	24	154	3.2	7.5	1.1	
	524	40	20	154	3.2	1.0		
	516	49	35	159	3.4	7.5	0.8	
	507	46	33	145	3.5	0		
	484	46	43	179	4.1	7.5	0	
	583	45	31	132	3.2	0		
K=10	488	43	37	141	3.4	7.5	0	
	489	45	37	158	3.7	0		
	420	30	26	145	3.5	0		Lere "sand og gruskorn.
	476	37	22	141	3.4	0		"sandkorn.
	530	51	37	168	3.9	7.5	0	
	533	53	28	179	4.1	0		
	487	44	32	145	3.5	7.5	0	
	477	37	26	91	2.3	0		
	508	43	23	124	3.0	7.5	0	
	508	43	24	124	3.0	0		
	463	34	18	141	3.4	7.5	0	
	503	43	26	188	3.9	8.0	0	
	438	33	29	184	4.2	7.5	0	"m/ gruskorn.
	487	43	30	230	4.8	8.0	0	
	346	23	25	124	3.0	7.0	0	Sterkt sandig lere.
	422	29	20	253	5.1	8.0	0	Grusholdig lere.
	418	30	30	189	4.3	7.0	0	Lere "sandkorn.
	413	29	30	206	5.5	8.0	0	" "gruskorn.
	433	32	27	151	3.4	8.0	0	
	416	31	37	196	4.4	8.0	0	

17-63/44  
34-84/45

PRØVESERIER AV OSLOLERE JERNBANETORVET og TORDENSKJOLDS GT.	Målestokk 1:200	Tegnet K.O.
Borges Statsbaner - Banedirektoratet Geoteknisk kontor Oslo 2	Etalning for	OK 291.
D. E. O.	Ersatt for av	V. 37