


NO-E-1 III

Haukelid : 282
Tomt i Kjølberggaten 28
1938

NO: E1 III

overført til 84

KJØLBERGGATEN



PRØVEHULL.

JORDART.	DYP M.	VANNPCT.		H ₂	H ₁	F.	K.
		TOTAL SUBS.	TOTAL SUBST.				
TØRRSKORPELERE.	2 ^m	20.3	25.4	1140	147.	42	9.5.
LERE./	3.	23.4	30.5	605.	66	43	7.9.
"	4.	29.05	30.0.	267.	52.	39	4.3
"	5.	27.50	38.0.	137.	14.	41.	3.2
"	6.	30.40	43.5.	117.	6.	59	2.5.
"	7.	30.40	45.5.	58.	2.3	55	1.5.
• KVIKKAKTIG.	8.	24.50	32.7.	102.	8.25	32	2.5.
KVIKKLERE.	9.	24.25	31.2	53.	1.0.	26	1.4.
"	10.	26.80	36.8.	53.	0.9	30.	1.4.
"	11.	26.80	37.0.	53.	1.0.	31	1.4
"	12.	27.40	37.8	58	0.99	31.	1.5.
"	13.	26.50	36.0	48.	1.90.	31	1.4.

SITUATION.
1:500

ca. N ←

NO-E-1 III

H₂ = RELATIV FASTHET NAT LERE.
 H₁ = " " " OMRØRT "
 F = " FINHET.
 K = KOHESJON I TON PR M².

GRUNNUNDERSØKELSE
FOR

TOMT I KJØLBERGGATEN.

M 1:500

APR 1938.

Nr 282

Pj. Hautkelid.
M.N.F.