

PR.II VB.5

9,3

9,3

su (kN/m²)


10 20 30 40

TÖRRSKORPE

LEIRE, SILTIG

LEIRE, SANDIG


7



PG.6

BARK, INDUSTRIAVFALL /
TÖRRSKORPE LEIRE
LEIRE, SILTIG

4



PR.III

9,5

SAND, GRUS
SILT
TÖRRSKORPE LEIRE

LEIRE, SILTIG

10

5

± 0

- 5




- 10

- 15

REV.	REVISJONEN GJELDER	SIGN.	DATO
PROFIL B - B		MÅLESTOKK	TEGNET
DRAMMEN POSTTERMINAL GULSKOGEN INDUSTRIOMRÅDE		1: 200	EN
			KONTR.
			DATO 23.3.87
		ERST. FOR.	
OPPDRAG NR.		TEGN. NR.	REV.
40552		101	

NOTEBY
NORSK TEKNISK
BYGGEKONTROLL A/S

000-769



0	TÖRRSKORPELEIRE
1.5	
1.3	
1.3	
1.1	
1.0	
1.0	
0.9	LEIRE, SILTIG
0.9	
0.9	
sp.	
sp.	
sp.	
sp.	

PG.1

BÆRELÅG / FYLLMASSER

TÖRRSKORPE

LEIRE, SILTIG