

NYGATEN 2^E

BLAD 1426

Grafisk fremstilling over lerens vanninnhold og holdfasthet.


Tabeller Se bl. 1425^a og 1425^b
Prøvenålens
beliggenhet Se bl. 1424.

SERIE I
(Innvertarserie 971)

Vanninnhold i % Holdfasthetstall

30% 20% 10% 0 50 100 150 200

Terrang +33,7m
Kote +3,0



Oslo 17-3-34
Oscar Hansen
Revisor

395U
NOC01

Large
1934
bl. 1426

Kotehöjde	+ 0.15	÷ 0.25	÷ 0.80	÷ 1.25	÷ 2.35	÷ 2.75	÷ 4.05	÷ 4.50	÷ 5.80	÷ 6.25	÷ 7.25	÷ 7.75
Glass nr.	205	164	210	254	167	211	206	165	178	247	175	202
Bto. vät	12.519	13.945	13.579	14.359	12.162	14.386	14.044	12.155	13.470	16.599	12.399	14.518
Tara	11.246	12.583	12.277	12.750	10.496	12.961	12.870	10.310	11.937	14.432	11.075	13.002
Netto vät	1.273	1.362	1.302	1.609	1.666	1.425	1.174	1.845	1.533	2.167	1.324	1.516
Bto. torr	12.196	13.604	13.225	13.912	11.689	14.002	13.682	11.672	13.061	16.060	12.090	14.072
Tara	11.246	12.583	12.277	12.750	10.496	12.961	12.870	10.310	11.937	14.432	11.075	13.002
Netto torr	0.950	1.021	0.948	1.162	1.193	1.041	0.812	1.362	1.124	1.628	1.015	1.070
Vät	1.273	1.362	1.302	1.609	1.666	1.425	1.174	1.845	1.533	2.167	1.324	1.516
Torr	0.950	1.021	0.948	1.162	1.193	1.041	0.812	1.362	1.124	1.628	1.015	1.070
Vann	0.323	0.341	0.354	0.447	0.473	0.384	0.362	0.483	0.409	0.539	0.309	0.446
Vekts % vann av totalsubst	25.4%	25%	27.2%	27.8%	28.4%	26.9%	30.8%	26.2%	26.7%	24.9%	23.3%	29.2%
Lodd nr.	3	2	3	3	3	2	2	2	2	2	2	2
H ₃	5.0 193 5.1 186.5	3.0 101.5 3.0 101.5	7.0 101.5 6.0 136.5	7.0 101.5 6.9 104.5	8.8 60.5 7.1 98.5	2.8 116.5 3.0 101.5	3.6 72 3.2 90	72 3.0 3.0 101.5	3.6 72 3.3 85	72 3.0 3.1 95.6	3.0 101.5 3.0 101.5	2.4 151.5 2.6 132
	5.0 193 5.0 193	3.1 95.5 2.9 107.5	5.0 193 6.0 136.5	9.2 55.1 8.8 60.5	8.0 76 8.1 74	3.0 101.5 2.5 141.5	4.0 57.5 3.6 72	3.8 64 3.5 76	3.8 64 3.5 76	3.8 64 4.0 57.5	2.7 124 2.6 132	2.4 151.5 2.2 174
Lodd nr.	2	2	2	2	2	2	2	2	2	2	2	2
H ₁	5.2 343 5.2 343	4.0 57.5 4.0 57.5	5.8 28.58 5.8 28.58	5.8 28.58 5.3 33.30	5.8 28.58 5.2 34.30	4.5 46 4.1 55.1	7.0 196.8 6.5 22.83	6.8 20.73 7.0 196.8	6.4 23.53 6.2 24.98	5.6 30.38 5.4 32.30	7.7 16.58 6.2 24.98	6.4 23.53 6.2 24.98
	4.8 40	4.3 50.3	5.6 30.38	6.0 26.78	6.0 26.78	3.8 64	6.2 24.98	7.1 19.18	6.6 22.13	5.5 31.30	6.6 22.13	6.9 20.18
Anm.												

Oslø, 17-3-34

209.

