

PROFIL A-A

M.L. = 1:200 M.H. = 1:200

utført for Oslo kommune

Prøveserie I

PeI 101

PeI 99

ant. tørrsk. leire

ant. leire

ant. leire, moig

ant. leire m/ mosandlag


ant. fjell

Dyp	W	V	F
1.0	29.0	45.8	43
3.0	22.2	37.9 (26)	
4.0	29.4	43.0	35
5.0	30.4	45.8	36
6.0	32.6	47.7	38
7.0	30.6	45.9	38
8.0	22.1	37.2 (25)	
9.0	32.7	47.6	38
10.0	32.9	48.0	39
12.0	33.5	48.1	38

H ₁	H ₃	K	O	PH	γ	W _l	Ip	Merknad
76	563	76	0.8	6.3	2.04			Leire m/ tørrskarpesner
50	463	(6.9)	0.8	7.1	2.08			Mjale, finmoig, leirholdig
35	220	4.7	0.8	7.3	1.98			Leire, grov, svakt mjælig
30	127	3.1	0.8	7.5	1.97			" "
27	153	3.6	sp		1.94			Leire, grov
50	172	4.0	sp		1.95			" "
27	158	(3.7)	sp		2.05			Leire m/ moige grupper
30	153	3.6	sp		1.86			Leire, litt grov
36	189	4.3	sp		1.89	38.2	12.2	" "
24	86	2.2	0.8		1.91			Leire, grov, sv. mjælig

NO: G 3 IV
 NOTERING: 2356 (1953)

B-B
H. = 1:200



427N

90
 85
 75
 70