

Proveserie V  $b = +1.35(0.H.V.)$

Op. No.	W	V	F	M	H3	K	O	T	Merknad.	
									Rammet foringsror sand, grus, stein.	
5.5	46.9	56.9						1.7	186 Fylling, fimo og sagfås.	
6.0	45.2	53.9						2.0	173 " " "	
6.5	41.0	52.0						1.7	178 fimo, mjølk og tre fiber.	
6.8	37.0	50.9						1.5	181 " " fylling	
									faskinlag.	
8.7	33.6	47.6						1.3	188 mjølk fimo og	
9.2	39.2	54.1	(42)	(34)				1.4	181 " " leirholdig	
10.0	36.3	48.1	(43)	23				1.1	184 " " "	
11.0	39.4	51.5	(43)	15				1.2	182 " " "	
12.0	37.0	50.3	42	19				1.1	186 " leirholdig	
13.0	35.2	49.2	42	25			4.5	1.3	189 mjøleleire	
14.0	36.4	52.0	44	27			5.1	1.2	195 leire m/marge partier	
15.0	36.6	50.5	50	53			5.4	1.2	188 " - grov	
16.0	40.5	52.1	52	37			3.5	1.1	184 leire.	
17.0	35.3	49.7	49	58			2.96	5.5	1.0	190 " "
18.0	38.0	51.5	51	46			1.89	4.3	0.0	1.87 " "
19.0	34.2	48.6	46	46			2.20	4.7	1.0	1.91 " "
20.0	38.2	52.0	52	53			2.67	5.2	1.0	1.91 " "
21.0	33.0	47.6	38	21			1.79	4.1	0.9	1.92 " m/sandparti
22.0	43.2	54.6	50	20			1.44	3.5	1.0	1.81 " "
23.0	34.1	48.5	40	21			1.10	2.8	1.0	1.80 " "
24.0	35.5	49.4	40	19			1.13	2.8	0.9	1.88 " "
25.0	34.2	48.4	41	26			1.27	3.1	0.9	1.90 " "

O	Ko.
14	1.4
15	1.4
18	2.0
12	2.8
12	1.5
12	2.1
11	3.0
09	3.1

NOTE BY tgn. 2202 (1952)