

Lagård i Sörmland.

Bilag 9

Fiskeriblad 791


Provserier nr III utförd 2-3 juli 1929

Kurvor för lacens vattinhåll (V), fiskeristall (F) og holdfasthetsstall (H₁, H₂)

Temperaturen i Torräng

10% 20% 10%

40 50 60 70 80 90 100 110 120



Dato, 8. juli 1929

Österberg

Lacard 8. 791

SO C 2 II

2090

SO: C 2 II

vannirya i mm. 107 i hetstall
Leren's holdfast

209 U

| Dybde i meter | Glass nr. | H ₃ | | | | H ₁ | | | Vanninnhold | | H ₃ | H ₁ | H ₃ H ₁ | F | p lange 791 |
|---------------------|--------------|----------------|-----------|------------|--|----------------|-----------|------------|-----------------------------|-------------------------|----------------|----------------|----------------------------------|----|----------------------------|
| | | 10/ 60 | 60/ 60 | 100/ 30 | | 10/ 60 | 60/ 60 | 100/ 30 | Vekt- værler fôrstoff | Vekt% av fôrsubstans | | | | | |
| 5,00-5,08 | 248 | | 5,0 | | | 5,5 | 17,5 | | 5,291 gr 3,627 1,664 | 45,8% | 36 | 3 | 12 | 38 | 1929 3002 ^{II} |
| 5, $\frac{44}{52}$ | 238 | | | 8,8 | | | 8,6 | | 4,170 3,007 1,163 | 38,7 | 60 | 13 | 4,6 | 41 | |
| 10, $\frac{00}{08}$ | 216 | | | 7,0 | | | 8,0 | | 4,871 3,553 1,318 | 37,1 | 101 | 15 | 6,7 | 40 | |
| 10, $\frac{39}{47}$ | 227 | | | 8,9 | | | 8,0 | | 3,647 2,649 0,998 | 37,7 | 59 | 15 | 4 | 41 | |
| 15, $\frac{00}{08}$ | 267 | | | 7,0 | | | 5,6 | | 5,221 4,142 1,079 | 26,1 | 101 | 30 | 3,4 | 31 | |
| 15, $\frac{48}{56}$ | 258 | | | 8,8 | | | 6,1 | | 3,909 2,837 1,072 | 37,8 | 60 | 26 | 2,3 | 45 | |
| 20, $\frac{00}{08}$ | 249 | | | 7,0 | | | 5,0 | | 3,938 2,980 0,958 | 32,1 | 101 | 36 | 2,8 | 41 | |
| 20, $\frac{38}{46}$ | 259 | | | 7,0 | | | 9,3 | | 4,866 3,729 1,137 | 30,5 | 101 | 54 | 1,9 | 42 | |
| 25, $\frac{00}{08}$ | 226 | | | 7,0 | | | 5,5 | | 4,536 3,615 0,921 | 25,6 | 101 | 31 | 3,3 | 30 | |
| 25, $\frac{47}{55}$ | 215 | | | 7,0 | | | 10,2 | | 4,913 3,816 1,097 | 28,7 | 101 | 44 | 2,3 | 35 | |
| 29, $\frac{50}{58}$ | 237 | | | 9,0 | | | 6,2 | | 4,380 3,247 1,133 | 34,9 | 57 | 25 | 2,3 | 41 | |
| 30, $\frac{04}{12}$ | 247 | | | 8,5 | | | 6,9 | | 4,466 3,304 1,162 | 35,2 | 66 | 20 | 3,3 | 40 | |

Lagerbømt i Sörengen.

Pröveserie nr. 111 optatt 2-3 juli 1929

Bestemmelse av lerens vanninnhold:

2090
Bilag nr. 3_{part}
71
kart blad 791

| Dybde i meter | Glass Nr. | Vekt i gr. | | | Vanninnhold i vekt % av totaleubs. | Anm. |
|---------------------|--------------|------------|----------|-------|--|------|
| | | Våt ler | Tørstoff | Vann | | |
| 5, $\frac{00}{08}$ | 248 | 5,291 | 3,627 | 1,664 | 31,4 % | |
| 5,26 | 192 | 8,560 | 6,229 | 2,331 | 27,3 " | |
| 5, $\frac{44}{52}$ | 238 | 4,170 | 3,007 | 1,163 | 27,9 " | |
| 10, $\frac{00}{08}$ | 216 | 4,871 | 3,553 | 1,318 | 27,1 " | |
| 10,23 | 161 | 7,876 | 5,642 | 2,234 | 28,4 " | |
| 10, $\frac{37}{47}$ | 227 | 3,647 | 2,649 | 0,998 | 27,3 " | |
| 15, $\frac{00}{08}$ | 267 | 5,221 | 4,142 | 1,079 | 20,7 " | |
| 15,28 | 140 | 7,058 | 5,458 | 1,600 | 22,7 " | |
| 15, $\frac{40}{56}$ | 258 | 3,909 | 2,837 | 1,072 | 27,4 " | |
| 20, $\frac{00}{08}$ | 249 | 3,938 | 2,980 | 0,958 | 24,3 " | |
| 20,23 | 193 | 7,406 | 5,710 | 1,696 | 22,9 " | |
| 20, $\frac{38}{46}$ | 259 | 4,866 | 3,729 | 1,137 | 23,4 " | |
| 25, $\frac{00}{08}$ | 226 | 4,536 | 3,615 | 0,921 | 20,3 " | |
| 25,27 | 171 | 5,368 | 4,294 | 1,074 | 20,0 " | |
| 25, $\frac{42}{52}$ | 215 | 4,913 | 3,816 | 1,097 | 22,3 " | |
| 29, $\frac{50}{58}$ | 237 | 4,380 | 3,247 | 1,133 | 25,9 " | |
| 29,81 | 165 | 3,878 | 2,866 | 1,012 | 26,1 " | |
| 30, $\frac{04}{12}$ | 247 | 4,466 | 3,304 | 1,162 | 26,1 " | |

Oslø, 8. juli 1929
E. Carlsberg

SOC 202^{II}