


V
~~NO~~: C 1⁵

1326-1327

Elvegaten 23-27

Se situasjon på Bl. 1324

Prøveserie 1.



Oslø 5/9-55
P. Aarhaug
Rena

Dybde i m	3,10-3,13	3,20-3,23	3,30-3,33	3,40-3,43	3,50-3,53	3,65-3,68	4,05-4,08						
Glass nr	283	289	14	230	130	201	209						
Bto. våt	20,867	20,035	24,285	14,325	13,465	13,567	14,066						
Tara	17,963	17,986	23,150	12,589	11,691	12,301	13,015						
Netto våt	2,904	2,049	1,135	1,736	1,774	1,266	1,051						
Bto. torr	20,112	19,522	24,025	13,919	13,035	13,265	13,835						
Tara	17,963	17,986	23,150	12,589	11,691	12,301	13,015						
Netto torr	2,149	1,536	0,875	1,330	1,344	0,964	0,820						
Våt	2,904	2,049	1,135	1,736	1,774	1,266	1,051						
Torr	2,149	1,536	0,875	1,330	1,344	0,964	0,820						
Vann	0,755	0,513	0,260	0,406	0,430	0,302	0,231						
Vekts% vann	25,99%	25,04%	22,91%	23,39%	24,24%	23,85%	21,98%						
Lodd nr.	2.	2.	2.	2.	2.	2.	2.						
H ₃	4.2 4.6 4.3 3.8	52.7 44.0 50.3 64.0	4.6 5.8 4.8 4.0	4.4 28.58 4.0 57.5	3.2 4.2 3.8 4.1	40 52.7 64 55.1	4.7 4.8 4.5	42 40 46	4.2 4.2 4.9	52.7 38 38	3.8 64 4.2	4.6 52.7 4.2	4.4 4.2 52.7
Lodd nr.													
H ₂													
Lodd nr.													
H ₁													
Anm.			meget sand				Ömarkorp						

Elvegaten 23-25-27.

Pröveserie nr 1, bil. 3, 4/1, 6/1, 1326, 31-8-33.

Dybde i m.	6,0-6,05	6,10-6,15	7,05-7,10	7,20-7,25	8,03-8,08	9,07-9,10	9,18-9,21
Glass nr	147	166	158	207	217	202	127
Bto. våt	12,767	12,916	13,994	14,257	14,671	14,245	13,257
Tara	10,808	10,644	12,437	12,341	12,448	13,002	11,708
Netto våt	1,959	2,272	1,557	1,916	2,223	1,243	1,549
Bto. torr	12,352	12,400	13,658	13,847	14,202	13,986	12,945
Tara	10,808	10,644	12,437	12,341	12,448	13,002	11,708
Netto torr	1,544	1,756	1,221	1,506	1,754	0,984	1,237
Våt	1,959	2,272	1,557	1,916	2,223	1,243	1,549
Torr	1,544	1,756	1,221	1,506	1,754	0,984	1,237
Vann	0,415	0,516	0,336	0,410	0,469	0,259	0,312
Vekts% vann	21,2%	40,6%? feilmålt.	21,58%	21,4%	21,1%	20,9%	20,2%
Lodd nr.	3	3	3	3	3	3	3
H ₃	6,4 120 6,8 107,5	5,2 180 5,0 193	5,6 156,5 5,2 180	4,7 215 5,4 168	3,6 369 4,0 299	3,7 350 4,8 207	1,3 2200 4,6 224
Lodd nr.							
H ₂							
Lodd nr.	3	3	3	3	3	3	3
H ₁	4,8 207 5,8 146,5 7,6 85 7,6 85	7,0 101,5 7,8 80 7,0 101,5 7,0 101,5	5,1 186,5 6,8 107,5 5,0 193 4,8 207	5,8 146,5 6,0 136,5 5,7 151,5 5,7 151,5	3,7 350 3,7 350 3,7 350 4,7 215	5,5 162 6,2 128 5,3 174 6,0 136,5	4,0 299 2,9 563 3,5 389 3,8 332
Anm.							

Årskantz

Elvegaten 23-25-27

Pröveserie nr. 1. bil. 64/ 31-8-33

	18.35-18.38	20.10-20.13	22.05-22.08	22.40-22.43	24.15-24.18	26.10-26.13	26.37-26.40
Dybde i m	18.35-18.38	20.10-20.13	22.05-22.08	22.40-22.43	24.15-24.18	26.10-26.13	26.37-26.40
Glass nr.	132	223	144	123	208	135	142
Bto våt	13.022	16.152	14.237	16.865	16.467	14.992	14.760
Tara	12.358	14.428	12.035	14.134	12.246	12.354	11.637
Netto våt	0.664	1.724	2.202	2.731	4.221	2.638	3.123
Bto torr	12.848	15.679	13.682	16.177	15.370	14.288	14.005
Tara	12.358	14.428	12.035	14.134	12.246	12.354	11.637
Netto torr	0.490	1.251	1.647	2.043	3.124	1.934	2.368
Våt	0.664	1.724	2.202	2.731	4.221	2.638	3.123
Torr	0.490	1.251	1.647	2.043	3.124	1.934	2.368
Vann	0.174	0.473	0.555	0.688	1.097	0.704	0.755
Vekts% vann	26.2%	27.44%	25.2%	25.19%	25.99%	26.69%	24.18%
Lodd nr.							
H ₃							
Lodd nr.	2	2	2	2	2	2	2
H ₂	2.5 141.5 2.7 124	2.6 132 2.7 124	3.9 60.5 5.2 34.3	4.3 50.3 4.7 42	5.2 34.3 3.7 68	4.5 46 3.4 80	3.9 60.5 3.5 76
Lodd nr.	2	2	2	2	2	2	2
H ₁	3.7 68 3.4 80 3.4 80 3.7 68	4.1 55.1 3.9 60.5 5.2 34.3 5.4 32.3	4.2 52.7 4.2 52.7 4.2 52.7 4.4 48	5.0 36.5 5.6 30.38 5.0 36.5 5.1 35.3	4.7 42 5.0 36.5 4.8 40 4.1 55.1	4.3 50.3 4.8 40 4.2 52.7 4.4 48	4.4 48 4.3 50.3 4.7 42 4.0 57.5
Anm					Litt oksydul.	Litt oksydul	Litt oksydul

Oscarhuse


ELVEGATEM 23-25-27

BL. 1327

Grafisk fremstilling av lerens vanninnhold og holdfasthet.

SERIE 954

Prøveserie 2.



Oslo. 6/9-33
Oscarham
Tubers

