


Profil over oppfylt dalsenkning


2065



W	D	E	H ₁	H ₂	s	γ	
21.7	37.6			>2200	>13.7	2.10	Törrskorpeleire
21.8	37.6			>2200	>13.7	2.10	" "
25.2	41.4			>2200	>13.7	2.05	" "
29.3	45.0			>2200	>13.7	1.98	" "

2055

2075



Z	F	H ₁	H ₂	s	γ
9.6		52.6	>2200	>13.7	2.09
1.9	5.3	6.56	>2200	>13.7	2.04
3.8	4.6	14.0	8.25	9.1	2.00
1.5	3.5	13.2	5.63	7.6	2.04
9.8	4.5	3.4	2.96	5.5	1.89
4.4	4.4	9.4	4.35	6.7	1.97
2.5	3.5	7.1	4.63	6.9	2.02
2.4	3.6	1.36	6.05	7.9	2.06
9.7	3.3	1.36	4.03	7.2	2.08

W	D	E	H ₁	H ₂	s	γ	
20.8	36.0			7.60	8.7	2.09	Fyllmasse leire
26.5	41.2			8.95	9.4	1.96	" " og mjele
23.0	38.7			>2200	>13.7	2.08	" " " " " "
19.8	35.3			>2200	>13.7	2.14	" " Törrskorpeleire
28.0	43.5	33	7.9	9.70	9.8	1.99	" " " " " "
23.8	39.4	42	2.30	13.50	11.7	2.07	" " mjele leirholdig
28.8	44.5	(4.9)	1.79	13.50	11.7	2.02	" " Törrskorpeleire
25.5	41.4	35	1.36	11.40	10.7	2.03	" " Leire

W	D	E	H ₁	H ₂	s	γ	
24.8	40.8	(6.4)	8.25	>2200	>13.7	2.05	Törrskorpeaktig leire
37.6	48.4	4.9	8.1	10.50	10.2	1.92	Leire m/ Törrskorpefl.
25.2	41.0	3.1	5.2	1.11	6.5	2.04	" " svakt moig
26.8	42.7	3.4	6.3	4.93	7.2	2.02	Leire
27.1	43.0	3.5	7.5	2.96	5.5	2.02	" "
27.3	43.3	4.0	8.0	3.69	6.2	2.02	" "
28.3	44.2	3.5	4.6	3.13	5.7	2.00	" "
27.7	44.5	3.5	7.9	4.35	6.7	2.00	" "

Profil G og D

NO 46 II

NSB GK-256-2
1959

Verkstedet Grorud Hovedbanen	Målestokk	Boret K.R. Mai-59
	1:200	Tegnet K.R. 7/7-59
Norges Statsbaner - Stasjonsdirektøren Geoteknisk kontor Oslo 1/10-1959		Sk 256,2 Ersattlet av: