

NV: C2 II

Prövehull X. (1951)

Jordart.	Dyp m.	Vannpst. av total subst.	törr subst.	H ₂	H ₁	F	K	O	G	pH	μ
	1										
	2										
Leire. Små skjellrester. Fast.	3	21,3	27,0	186	68	34	4,0	Sp.		7,5	1,85
" " ensartet.	4	26,3	35,7	120	25	42	2,9				1,82
" " m/melsand. Fast.	5	20,8	26,3	193	78	34	4,1				1,94
" " " " " "	6	21,0	26,6	193	59	33	4,1			7,8	1,93
" " " " " "	7	21,6	27,6	180	46	34	3,9				1,94
" " " " " " sprö.	8	30,4	43,6	104	20	50	2,6	0,9		7,8	1,73
" " " " " "	9	29,2	41,3	90	26	49	2,3	0,7			1,76
" " " " " " ensartet.	10	29,8	42,5	113	19	48	2,8				1,74
" " " " " "	11										
" " " " " "	12	29,4	41,5	101	23	49	2,5				1,76
" " " " " "	13										
" " " " " "	14	24,0	31,6	104	24	36	2,6			7,8	1,86
" " " " " "	15										
" " " " " "	16	29,2	41,1	132	28	49	3,1				1,75
" " " " " "	17										
" " " " " "	18	29,8	42,3	128	25	50	3,0	Sp.			1,75
" " " " " "	19										
" " " " " "	20	29,0	40,8	136	25	49	3,2				1,76
" " " " " "	21										
" " " " " "	22	28,8	40,4	146	28	49	3,4			7,6	1,76

Haukelid: 1167 B (1951)

227H