

## Pröveserie I 201 N

Kjellergruv.

NOC1

Dyp im.	V.	F	H <sub>1</sub>	H <sub>3</sub>	K	O	pH g.	Anm.
1.0	44.6						1.3 bas. 1.93	svakt leirh. melsand.
2.0	52.5						1.5 bas. 1.81	" " "
3.0	56.4	40	10	120	3.0	1.6	bas. 1.80	melsandleire.
4.0	51.9	43	15	104	2.6	1.2	bas. 1.84	Grov leire - svakt mels.h.
5.0	53.0	44	15	104	2.6	1.2	bas. 1.83	grov leire.
6.0	53.8	48	19	79	2.0	1.1	bas. 1.81	- " - " linn sandk.
7.0	54.5	51	24	104	2.6	1.1	bas. 1.80	Leire. grov
8.0	54.4	50	22	140	3.4	1.0	bas. 1.81	leire
9.0	51.4	46	26	189	4.3	0.9	1.86	"
10.0	51.0	48	34	189	4.3	0.8	1.84	"
11.0	51.6	46	26	140	3.4	0.8	1.85	"
12.0	51.5	48	18	79	2.0	sp.	1.86	" slapp.
-	-	-	-	-	-	-	-	-
14.0	54.5	49	18	61	1.6	sp.	1.80	" "

 NOTEBY 1341  
1946