

Prøveserie II Ter.h. = 150.75

Dyp i m	W	V	F	H <sub>1</sub>	H <sub>3</sub>	K	0	$\mu$	Glt.	Metode
1.0	126.2	75.4		15	91			1.35	18.2	Mjæleleire, gyttig <sup>m</sup> /trærøster
2.0	33.7	47.1		17	650		2.2	1.87		Mjæle, moig m/ endel planterøster
3.0	152.5	77.3		76	189			1.78	21.5	Mjæle, gyttig, brun
4.0	61.6	61.7	58	3	36	0.9	1.2	1.62		Leire, noe mjælig
5.0	44.1	54.8	33	1.3	46	1.2	1.0	1.79		Kvikkleire, grov
6.0	43.8	54.6	31	0.5	46	1.2	0.9	1.79		
7.0	47.6	57.1	32	0.8	33	0.8	1.0	1.77		Kvikkleire
8.0										Kv.leire, mistet prøven ved opptakingen
9.0	36.0	50.0	28	0.3	26	0.7	0.9	1.89		Kvikkleire, slapp
10.0	35.8	50.0	28	0.4	34	0.9	0.9	1.90		Kvikkleire, grov, slapp
11.0	57.6	51.3	29	0.4	44	1.1	0.9	1.87		"
12.0	36.8	50.8	31	3	33	0.8	0.9	1.86		"

310N Notby  
22 74 - 75  
1952  
SOKO5