

NSB 189
1936

Terrang kote 1.51

	V _v	F	H ₁	H ₂	H ₃	O
Fin sand	44.0					
Finsandig lere	51.7	43	15	149	3.5	1.8
" "	49.1	37	14	149	3.5	1.8
" "	52.0	42	12	140	3.4	2.0
Grov lere	50.4	41	15	184	4.2	1.8
Lere	51.0	38	10	66	1.7	0.7
"	43.9	35	55	179	4.1	0.6
"	41.8	33	71	281	5.4	0.6
Lere ^m /sandk.	44.1	37	63	196	4.4	1.2
Lere	41.8	37	168	760	8.6	0.4
"	51.9	46	24	202	4.6	1.7
"	52.5	46	19	184	4.2	1.4
"	51.8	46	26	172	4.0	1.2
"	51.3	47	32	230	4.8	1.1
"	58.1	48	26	173	4.0	1.0
"	53.1	54	42	220	4.7	0.8
"	51.7	48	34	189	4.3	0.7
"	53.9	49	24	172	4.0	0.6
"	50.7	47	38	296	5.5	0.6
"	49.5	45	38	296	5.5	0.6
"	49.9	47	43	281	5.4	0.6
"	49.3	46	40	296	5.5	0.7
"	48.6	47	60	230	4.8	0.6
Lere ^m /sandk.	42.5	32	34	189	4.3	0.4
Lere	44.4	35	41	230	4.8	
"	47.7	41	35	202	4.5	0.4
Lere ^m /sandk.	42.2	33	58	189	4.3	0.2
Lere	43.0	34	63	230	4.8	0.4
"	48.6	43	35	210	4.6	0.4
"	46.6	40	35	189	4.3	0.4
"	51.9	49	34	195	4.4	0.6
"	44.7	42	67	281	5.4	0.4
"	45.6	42	57	241	5.0	0.4
"	44.4	37	79	313	5.7	
"	44.7	44	96	313	5.7	0.4
"	52.5	54	55	281	5.4	0.2
"	46.0	38	35	220	4.7	0.4
"	42.0	43	34	189	4.3	0.3
"	49.0	43	34	189	4.3	0.3
"	49.0	42	32	179	4.1	0.2
"	47.8	39	38	150	3.6	0.2
"	50.1	42	32	172	4.0	0.4
"	48.0	41	57	189	4.3	0.4
"	48.9	42	34	202	4.5	0.4
"	48.0	41	34	189	4.3	0.4
"	46.7	42	49	183	4.3	0.4

Org. stoff
1 cm = 1%

