

Terräng kote +1.62

Optyllt	V ₄	F	M ₁	M ₃	K	O	Org. stoff sem = 1%
Finsandig lera	51.2	45	20	252	5.1	2.5	
" "	46.5	31	8	113	2.8	1.8	
" "	47.3	33	9	117	2.9	1.7	
" "	51.5	41	11	144	3.5	2.1	
Brov lera	51.5	43	16	163	3.8	2.0	
Lera	52.6	40	9	79	2.0	0.8	
"	45.1	39	71	202	4.5	0.4	
"	44.2	37	73	189	4.3	0.4	
"	44.4	36	65	202	4.5	0.5	
"	43.2	36	85	313	5.7	0.5	
"	51.0	44	21	189	4.3	1.3	
"	52.3	45	19	210	4.6	1.4	
"	52.1	47	26	195	4.4	1.2	
"	51.7	48	32	241	5.0	1.0	
"	52.4	48	30	230	4.8	0.8	
"	54.1	52	29	202	4.5	0.8	
"	52.1	48	30	202	4.5	0.8	
"	49.8	48	46	267	5.2	0.6	
"	50.5	45	31	202	4.5	0.6	
"	47.2	42	43	202	4.5	0.5	
"	47.1	39	38	195	4.4	0.4	
"	45.3	39	58	267	5.2	0.4	
"	44.9	35	34	172	4.0	0.4	
"	46.0	40	41	253	5.1	0.4	
"	46.2	39	48	202	4.5	0.4	
"	46.6	39	43	230	4.8	0.3	
Lera med entellda sandkorn	41.5	33	61	253	5.1	0.2	
Lera	49.6	44	35	202	4.5	0.5	
"	46.5	36	29	202	4.6	0.4	
"	49.5	44	34	210	4.6	0.4	
"	46.0	43	60	296	5.5	0.4	
"	46.6	42	49	281	5.4	0.4	
"	45.0	44	84	349	6.0	0.4	
"	46.0	43	60	313	5.7	0.4	
"	45.8	41	50	330	5.8	0.4	
"	52.5	48	30	296	5.5	0.6	
"	50.0	44	32	296	5.5	0.5	
"	46.4	37	23	189	4.3	0.3	
"	49.2	43	34	189	4.3	0.4	
"	48.6	43	38	189	4.3	0.4	
"	48.5	40	25	189	4.3	0.4	
"	49.2	43	34	189	4.3	0.4	
"	49.0	43	32	230	4.8		
"	50.5	48	46	281	5.4		
"	49.2	42	33	220	4.7		
"	49.2	46	43	241	5.0	0.4	
"	50.8	48	35	296	5.6	0.2	